

REDUCING  
TEE



MOLDED  
FOR YOUR  
INDUSTRY

IntegriFuse™

 **INTEGRITY**  
Fusion Products, Inc.

TOLL FREE 1-888-770-6330

INTEGRITYFUSION.COM

# The difference MOLDED Makes

Molded Reducing Tees from Integrity Fusion Products are the new market leader for butt fusion Tees. These fittings offer performance, availability, and value that eliminate the need for fabricated fittings.

The molded difference includes:


- No inner fusion beads
- Fully Pressure Rated
- Wall thickness remains consistent throughout

IntegriFuse fittings are manufactured from 100% Virgin Resin with black high density bimodal polyethylene copolymer designed for use in, but not limited to, potable water, natural gas, industrial, landfill, oil & gas, and mining applications.

IntegriFuse fittings meet ASTM-D2513 & ASTM-D3261 requirements (where applicable).

Butt fusion, electrofusion, and transition fittings meet AWWA C-901/C-906, NSF/ANSI/CAN-61, and NSF/ANSI-372 (where applicable). IntegriFuse fittings are manufactured with resin having a material designation code of PE 3408, PE3608, PE 4710, and PE 100.

Integrity Fusion Products, Inc.  
270 Parkade Court  
Peachtree City, GA 30269  
P: 1-888-770-6330 • P: 770-632-7530  
F: 770-632-7540  
E: [Info@IntegrityFusion.com](mailto:Info@IntegrityFusion.com)



## SDR 17 (Standard Dimension Ratio) 125 PSI (Working Pressure at 73.4° F)

Nominal Size	L	D	d	L1	L2	Z	Weight	Code
3" x 2" IPS	11.80"	3.500"	2.375"	3.62"	2.48"	5.90"	1.5 lbs.	100801
4" x 2" IPS	13.78"	4.500"	2.375"	3.94"	2.48"	6.89"	2.5 lbs.	100803
4" x 3" IPS	13.78"	4.500"	3.500"	3.94"	3.62"	6.89"	2.7 lbs.	100805
6" x 2" IPS	18.10"	6.625"	2.375"	4.72"	2.48"	9.06"	6.2 lbs.	100807
6" x 3" IPS	18.10"	6.625"	3.500"	4.72"	3.62"	9.06"	6.4 lbs.	100809
6" x 4" IPS	18.10"	6.625"	4.500"	4.72"	3.94"	9.06"	6.6 lbs.	100811
8" x 2" IPS	23.60"	8.625"	2.375"	5.71"	2.48"	11.80"	14.9 lbs.	100813
8" x 3" IPS	23.60"	8.625"	3.500"	5.71"	3.62"	11.80"	14.3 lbs.	100815
8" x 4" IPS	23.60"	8.625"	4.500"	5.71"	3.94"	11.80"	15.0 lbs.	100817
8" x 6" IPS	23.60"	8.625"	6.625"	5.71"	4.72"	11.80"	15.6 lbs.	100819
10" x 4" IPS	27.40"	10.750"	4.500"	6.30"	3.94"	13.78"	22.0 lbs.	100821
10" x 6" IPS	27.40"	10.750"	6.625"	6.30"	4.72"	13.78"	25.3 lbs.	100823
10" x 8" IPS	27.40"	10.750"	8.625"	6.30"	5.71"	13.78"	26.2 lbs.	100825
12" x 6" IPS	31.40"	12.750"	6.625"	7.48"	4.72"	15.95"	47.1 lbs.	100827
12" x 8" IPS	31.40"	12.750"	8.625"	7.48"	5.71"	15.95"	48.9 lbs.	100829
12" x 10" IPS	31.40"	12.750"	10.750"	7.48"	6.30"	15.95"	52.3 lbs.	100831



# The difference MOLDED Makes

Molded Reducing Tees from Integrity Fusion Products are the new market leader for butt fusion Tees. These fittings offer performance, availability, and value that eliminate the need for fabricated fittings.

The molded difference includes:


- No inner fusion beads
- Fully Pressure Rated
- Wall thickness remains consistent throughout

IntegriFuse fittings are manufactured from 100% Virgin Resin with black high density bimodal polyethylene copolymer designed for use in, but not limited to, potable water, natural gas, industrial, landfill, oil & gas, and mining applications.

IntegriFuse fittings meet ASTM-D2513 & ASTM-D3261 requirements (where applicable).

Butt fusion, electrofusion, and transition fittings meet AWWA C-901/C-906, NSF/ANSI/CAN-61, and NSF/ANSI-372 (where applicable). IntegriFuse fittings are manufactured with resin having a material designation code of PE 3408, PE3608, PE 4710, and PE 100.

Integrity Fusion Products, Inc.  
270 Parkade Court  
Peachtree City, GA 30269  
P: 1-888-770-6330 • P: 770-632-7530  
F: 770-632-7540  
E: [Info@IntegrityFusion.com](mailto:Info@IntegrityFusion.com)



## SDR 11 (Standard Dimension Ratio) 200 PSI (Working Pressure at 73.4° F)

Nominal Size	L	D	d	L1	L2	Z	Weight	Code	Notes
3" x 2" IPS	11.80"	3.500"	2.375"	3.62"	2.48"	5.90"	1.8 lbs.	100800	FM 200
4" x 2" IPS	13.78"	4.500"	2.375"	3.94"	2.48"	6.89"	3.3 lbs.	100802	FM 200
4" x 3" IPS	13.78"	4.500"	3.500"	3.94"	3.62"	6.89"	3.6 lbs.	100804	FM 200
6" x 2" IPS	18.10"	6.625"	2.375"	4.72"	2.48"	9.06"	8.8 lbs.	100806	FM 200
6" x 3" IPS	18.10"	6.625"	3.500"	4.72"	3.62"	9.06"	8.9 lbs.	100808	FM 200
6" x 4" IPS	18.10"	6.625"	4.500"	4.72"	3.94"	9.06"	9.5 lbs.	100810	FM 200
8" x 2" IPS	23.60"	8.625"	2.375"	5.71"	2.48"	11.80"	18.6 lbs.	100812	FM 200
8" x 3" IPS	23.60"	8.625"	3.500"	5.71"	3.62"	11.80"	19.3 lbs.	100814	FM 200
8" x 4" IPS	23.60"	8.625"	4.500"	5.71"	3.94"	11.80"	19.8 lbs.	100816	FM 200
8" x 6" IPS	23.60"	8.625"	6.625"	5.71"	4.72"	11.80"	21.7 lbs.	100818	FM 200
10" x 4" IPS	27.40"	10.750"	4.500"	6.30"	3.94"	13.78"	33.1 lbs.	100820	FM 200
10" x 6" IPS	27.40"	10.750"	6.625"	6.30"	4.72"	13.78"	34.3 lbs.	100822	FM 200
10" x 8" IPS	27.40"	10.750"	8.625"	6.30"	5.71"	13.78"	38.0 lbs.	100824	FM 200
12" x 6" IPS	31.40"	12.750"	6.625"	7.48"	4.72"	15.95"	56.1 lbs.	100826	FM 200
12" x 8" IPS	31.40"	12.750"	8.625"	7.48"	5.71"	15.95"	66.9 lbs.	100828	FM 200
12" x 10" IPS	31.40"	12.750"	10.750"	7.48"	6.30"	15.95"	68.5 lbs.	100830	FM 200

