




Product Family:	Injection Molded Butt Fusion Fitting	Fitting Design:	Reducing Tee
Resin Status:	NSF Listed Bi-Modal Virgin Resin	Nominal Primary Pipe Sizes:	3" – 12"
Resin Type:	ASTM D3350 designated PE3408/PE4710/PE100	Nominal Pipe Standard:	IPS
Resin Cell Class:	4455574-CC3	Currently Available SDR's:	17, 11
Manufactured and tested to meet requirements of: ASTM D2513, ASTM D3261, ANSI/AWWA C901 & C906, FM 1613, NSF 61 For use on pipe and fittings conforming to: ASTM D2513, ASTM D3035, ASTM F-714			


For Material and Testing information, please refer to our Molded Fitting Specification Sheet.

IPS

SDR 17 (standard dimension ratio)

125 PSI (MAOP @ 73.4° F)

Nominal Size	L [in.]	D [in.]	d [in.]	L1 [in.]	L2 [in.]	Z [ins.]	Weight	Item Code	FM Class
3 x 2 IPS	11.80	3.500	2.375	3.62	2.48	5.90	1.50	100801	-----
4 x 2 IPS	13.78	4.500	2.375	3.94	2.48	6.89	2.50	100803	-----
4 x 3 IPS	13.78	4.500	3.500	3.94	3.62	6.89	2.70	100805	-----
6 x 2 IPS	18.10	6.625	2.375	4.72	2.48	9.06	6.20	100807	-----
6 x 3 IPS	18.10	6.625	3.500	4.72	3.62	9.06	6.40	100809	-----
6 x 4 IPS	18.10	6.625	4.500	4.72	3.94	9.06	6.60	100811	-----
8 x 2 IPS	23.60	8.625	2.375	5.71	2.48	11.80	14.9	100813	-----
8 x 3 IPS	23.60	8.625	3.500	5.71	3.62	11.80	14.3	100815	-----
8 x 4 IPS	23.60	8.625	4.500	5.71	3.94	11.80	15.0	100817	-----
8 x 6 IPS	23.60	8.625	6.625	5.71	4.72	11.80	15.6	100819	-----
10 x 4 IPS	27.40	10.75	4.500	6.30	3.94	13.78	22.0	100821	-----
10 x 6 IPS	27.40	10.75	6.625	6.30	4.72	13.78	25.3	100823	-----
10 x 8 IPS	27.40	10.75	8.625	6.30	5.71	13.78	26.2	100825	-----
12 x 6 IPS	31.40	12.75	6.625	7.48	4.72	15.95	47.1	100827	-----
12 x 8 IPS	31.40	12.75	8.625	7.48	5.71	15.95	48.9	100829	-----
12 x 10 IPS	31.40	12.75	10.75	7.48	6.30	15.95	52.3	100831	-----



IPS

SDR 11 (standard dimension ratio)

200 PSI (MAOP @ 73.4° F)


Nominal Size	L [in.]	D [in.]	d [in.]	L1 [in.]	L2 [in.]	Z [ins.]	Weight	Item Code	FM Class
3 x 2 IPS	11.80	3.500	2.375	3.62	2.48	5.90	1.50	100800	FM 200
4 x 2 IPS	13.78	4.500	2.375	3.94	2.48	6.89	2.50	100802	FM 200
4 x 3 IPS	13.78	4.500	3.500	3.94	3.62	6.89	2.70	100804	FM 200
6 x 2 IPS	18.10	6.625	2.375	4.72	2.48	9.06	6.20	100806	FM 200
6 x 3 IPS	18.10	6.625	3.500	4.72	3.62	9.06	6.40	100808	FM 200
6 x 4 IPS	18.10	6.625	4.500	4.72	3.94	9.06	6.60	100810	FM 200
8 x 2 IPS	23.60	8.625	2.375	5.71	2.48	11.80	14.9	100812	FM 200
8 x 3 IPS	23.60	8.625	3.500	5.71	3.62	11.80	14.3	100814	FM 200
8 x 4 IPS	23.60	8.625	4.500	5.71	3.94	11.80	15.0	100816	FM 200
8 x 6 IPS	23.60	8.625	6.625	5.71	4.72	11.80	15.6	100818	FM 200
10 x 4 IPS	27.40	10.75	4.500	6.30	3.94	13.78	22.0	100820	FM 200
10 x 6 IPS	27.40	10.75	6.625	6.30	4.72	13.78	25.3	100822	FM 200
10 x 8 IPS	27.40	10.75	8.625	6.30	5.71	13.78	26.2	100824	FM 200
12 x 6 IPS	31.40	12.75	6.625	7.48	4.72	15.95	47.1	100826	FM 200
12 x 8 IPS	31.40	12.75	8.625	7.48	5.71	15.95	48.9	100828	FM 200
12 x 10 IPS	31.40	12.75	10.75	7.48	6.30	15.95	52.3	100830	FM 200

IPS

SDR 9 (standard dimension ratio)

255 PSI (MAOP @ 73.4° F)

Nominal Size	L [in.]	D [in.]	d [in.]	L1 [in.]	L2 [in.]	Z [ins.]	Weight	Item Code	FM Class
3 x 2 IPS	11.80	3.500	2.375	3.62	2.48	5.90	1.50	100832	-----
4 x 2 IPS	13.78	4.500	2.375	3.94	2.48	6.89	2.50	100836	-----
4 x 3 IPS	13.78	4.500	3.500	3.94	3.62	6.89	2.70	100834	-----
6 x 2 IPS	18.10	6.625	2.375	4.72	2.48	9.06	6.20	100842	-----
6 x 3 IPS	18.10	6.625	3.500	4.72	3.62	9.06	6.40	100840	-----
6 x 4 IPS	18.10	6.625	4.500	4.72	3.94	9.06	6.60	100838	-----
8 x 2 IPS	23.60	8.625	2.375	5.71	2.48	11.80	14.9	100850	-----
8 x 3 IPS	23.60	8.625	3.500	5.71	3.62	11.80	14.3	100848	-----
8 x 4 IPS	23.60	8.625	4.500	5.71	3.94	11.80	15.0	100846	-----
8 x 6 IPS	23.60	8.625	6.625	5.71	4.72	11.80	15.6	100844	-----



IPS

SDR 7 (standard dimension ratio)

335 PSI (MAOP @ 73.4° F)

Nominal Size	L [in.]	D [in.]	d [in.]	L1 [in.]	L2 [in.]	Z [ins.]	Weight	Item Code	FM Class
3 x 2 IPS	11.80	3.500	2.375	3.62	2.48	5.90	1.50	100833	-----
4 x 2 IPS	13.78	4.500	2.375	3.94	2.48	6.89	2.50	100837	-----
4 x 3 IPS	13.78	4.500	3.500	3.94	3.62	6.89	2.70	100835	-----
6 x 2 IPS	18.10	6.625	2.375	4.72	2.48	9.06	6.20	100843	-----
6 x 3 IPS	18.10	6.625	3.500	4.72	3.62	9.06	6.40	100841	-----
6 x 4 IPS	18.10	6.625	4.500	4.72	3.94	9.06	6.60	100839	-----
8 x 2 IPS	23.60	8.625	2.375	5.71	2.48	11.80	14.9	100851	-----
8 x 3 IPS	23.60	8.625	3.500	5.71	3.62	11.80	14.3	100849	-----
8 x 4 IPS	23.60	8.625	4.500	5.71	3.94	11.80	15.0	100847	-----
8 x 6 IPS	23.60	8.625	6.625	5.71	4.72	11.80	15.6	100845	-----